






- 1 **Frame** — 3/4" thick Solid Wood, 1½" wide, kiln-dried solid hardwood. Assembled with glue and nails, under clamp pressure, which ensures squareness.
- 2 **Back panel** — Made of 1/2" plywood. Dado joints stapled into cabinet sides, glued and screwed into top and bottom.
- 3 **End panel** — Top and bottom 1/2" plywood substrate, with light maple woodgrain laminate interior. Matching exterior.
- 4 **Shelves** — 3/4" thick, plywood; fully adjustable.
- 5 **Hinges** — Heavy duty steel concealed hinge, adjustable with soft-close mechanism.

*36" and 42" Wall cabinets will have 3 hinges




- 6 **Base frame** — 3/4" thick Solid Wood, 1½" wide, kiln-dried solid hardwood. Assembled with glue and nails, under clamp pressure, which ensures squareness.
- 7 **Back panel** — Made of 1/2" plywood. Dado joints stapled into cabinet sides, glued and screwed into top and bottom.
- 8 **End panel** — 1/2" plywood substrate, with light maple woodgrain laminate interior. Matching exterior.
- 9 **Drawers** — 5/8" solid wood Dovetail sides 3/8" thick bottom
- 10 **Hinges** — Heavy duty steel concealed hinge, adjustable with soft-close mechanism.
- 11 **Glides** — 3/4" extension, high quality soft-close under mounted glides.
- 12 **Shelves** — 3/4" thick, plywood; fully adjustable. (10" deep)
- 13 **Toe kick** — 4½" Toe kick with 3" inset on all standard base and vanity cabinets.

White Finish Frameless Box



- 1 **Back panel** — $\frac{3}{4}$ " back panel
- 2 **End panel** — $\frac{3}{4}$ " thick plywood sides, constructed with glue, screws, and wooden dowels for durability and strength.
- 3 **Shelves** — $\frac{3}{4}$ " thick, plywood; fully adjustable with metal clips.
- 4 **Hinges** — Heavy duty steel concealed 6 way adjustable clip-on hinges with soft-close mechanism
*36" and 42" Wall cabinets will have 3 hinges




- 5 **Back panel** — $\frac{3}{4}$ " full back panel constructed with wood dowels, glued and screwed together.
- 6 **End panel** — $\frac{3}{4}$ " thick plywood sides, constructed with glue, screws, and wooden dowels for durability and strength.
- 7 **Drawers** — Double white wall metal drawer with $\frac{1}{2}$ " plywood bottom.
- 8 **Glides** — Full extension glides, with soft closing feature.
- 9 **Shelves** — $\frac{3}{4}$ " thick, full depth plywood; fully adjustable with metal clips.
- 10 **Hinges** — Heavy duty steel concealed hinge, adjustable with soft-close mechanism
- 11 **Toe Kick** — $4\frac{1}{2}$ " Toe kick with 3" inset on all standard base and vanity cabinets. White toe kick is standard.

Cabinet boxes are white edge banded with white interior and exterior.

On diagonal corner cabinets, matching edge banding will be applied vertically.

Classic cabinets are only available assembled.



1 Frame — $\frac{3}{4}$ " thick, $1\frac{1}{2}$ " wide, kiln-dried solid hardwood. Frame and sides are installed with a DADO interlocking system, which insures easy assembly and inseparable strength

2 Back panel — Full $\frac{1}{2}$ " plywood back with 3" hanging rails, installed with DADO groove. Screwed to top and bottom. Exterior is finished.

3 End panel

Concord Collection

$\frac{1}{2}$ " Plywood sides. Finished exterior with a natural wood-finish veneer interior.

Concord Plus Program

$\frac{1}{4}$ " Applied finished ends - Customer must order. End panel will be flush.

4 Shelves — $\frac{3}{4}$ " thick, plywood; fully adjustable with metal clips.

5 Hinges


Concord Collection

Six-way, soft close adjustable hinges

Concord Plus Program

BLUM soft close adjustable hinges

*36" and 42" Wall cabinets will have 3 hinges



6 Base frame — $\frac{3}{4}$ " thick, $1\frac{1}{2}$ " wide, kiln-dried solid hardwood. Frame and sides are installed with a DADO groove, which insures easy assembly. Exterior is finished.

7 Back panel — Full $\frac{1}{2}$ " plywood back with 3" hanging rails, installed with DADO groove. Screwed to top and bottom.

8 End panel

Concord Collection

$\frac{1}{2}$ " Plywood sides. Finished exterior with a natural wood-finish veneer interior.

Concord Plus Program

$\frac{1}{4}$ " Applied finished ends - Customer must order. End panel will be flush.

9 Drawers — $\frac{3}{4}$ " Solid wood, dovetail construction. With high quality stainless steel full extension under-mount glide. With soft-close safety feature.

10 Hinges

Concord Collection

Six-way, soft close adjustable hinges

Concord Plus Program

BLUM soft close adjustable hinges

11 Glides

Concord Collection


High quality stainless steel full extension under-mount glide. With soft-close safety feature.

Concord Plus Program


BLUM soft close adjustable ull extensionunder-mount glides

12 Shelves — $\frac{3}{4}$ " thick, plywood; fully adjustable with metal clips. (10" deep)

13 Toe kick — $4\frac{1}{2}$ " Toe kick with $2\frac{1}{2}$ " inset on all standard base and vanity cabinets.



- 1 **Frame** — $\frac{3}{4}$ " thick, $1\frac{1}{2}$ " wide, kiln-dried solid hardwood. Assembled with glue and nails, under clamp pressure, which ensures squareness.
- 2 **Back panel** — $\frac{1}{2}$ " substrate, with 3" plywood surrounding frame, made of $\frac{1}{2}$ " plywood. Rabbeted and stapled into cabinet sides, screwed into top and bottom. Includes $1\frac{1}{2}$ " hanging rails.
- 3 **End panel** — Top and bottom $\frac{1}{2}$ " plywood substrate, with light maple woodgrain laminate finish.
- 4 **Shelves** — $\frac{3}{4}$ " thick, plywood; fully adjustable
- 5 **Hinges** — Heavy duty steel concealed adjustable hinge.
- 6 **Doors** — Finger pull groove for easy access



- 7 **Base frame** — $\frac{3}{4}$ " thick, $1\frac{1}{2}$ " wide, kiln-dried solid hardwood. Assembled with glue and nails, under clamp pressure, which ensures squareness.
- 8 **Back panel** — $\frac{1}{2}$ " substrate plywood material. Rabbeted and stapled into cabinet sides, screwed into top and bottom.
- 9 **End panel** — $\frac{1}{2}$ " plywood substrate, with light maple woodgrain laminate interior finish.
- 10 **Drawers** — $\frac{1}{2}$ " Plywood sides with $\frac{3}{8}$ " thick bottom fastened with screws
- 11 **Hinges** — Heavy duty steel concealed adjustable hinge.
- 12 **Glides** — High quality epoxy coated steel side mounted glides.
- 13 **Shelves** — $\frac{3}{4}$ " thick, plywood; fully adjustable. (10" deep)
- 14 **Toe kick** — 4 $\frac{1}{2}$ " Toe kick with 2 $\frac{1}{2}$ " inset on all standard base and vanity cabinets.
- 15 **Doors** — Finger pull groove for easy access